



STEEL is a major ingredient of growth and economic progress.

We are the *leading* stockist in the middle east!

WWW.MAZAYAMAMLAH.COM



مزايا المملكة
MAZAYA MAMLAHAH

Introduction

W Mazaya Int. originally started in Riyadh, Saudi Arabia, Being one of the earliest stockist to be established in the country, now recognized as the leading player in the steel industry across the Gulf region.

has been the backbone of all Group companies, where the group has diversified operations under its corporate umbrella, engaged mainly in steel related business and other services as Electromechanical, Infrastructure Contracting, Medical Equipments, and Restaurant Franchising.

With corporate headquarters in Riyadh, specialized in steel trading & servicing. hosts branch offices & outlets throughout the region covering KSA, GCC, Sudan & North Africa.

To support this widespread operation central warehousing facilities have been setup in various cities:

- 1) Riyadh : 270,000m²
- 2) Jeddah : 270,000m²

- 3) Dammam : 370,000m²
- 4) Dubai : 70,000m²
- 5) Kuwait : 20,000m²
- 6) Qatar : 8,000m²
- 7) Bahrain : 5,000m²
- 8) Sudan : 30,000m²

In addition, operates large scale steel service centers both for steel coils and steel deformed bars. Located in Jeddah, Riyadh and Dubai offering services to the region's steel traders and end users.

has a reputation of its wide range of steel products of more than 5000 line items, including structural and commercial steel items, deformed steel bars, non-ferrous raw material, special steels & alloys, pipes& fittings, timber & hardware.

Our market positioning gives us an edge in our resourcing, be it through international steel markets or strategic alliances with local mills as Hadeed-Sabic, UGS, Al Itifaq, and Al Rajhi.

As a corollary to our commitment to the quality standards, has already been accredited with ISO9001 certificate.

We believe that in the last five decades, we have built a strong foundation on which we can base a sustainable long term growth.

We are well positioned to leverage opportunities and manage the challenges that will arise in the regional market.

"We are
5
years young"

A
good
leader needs to have a compass in his
head and a bar of steel in his heart.

Robert Townsend

Industrial & Commercial Steel

1 BEAMS & SECTIONS

European I Beams
European Wide Flange
British Universal Beams
British Universal Columns
American Wide Flange
Japanese Beams
Light I Beams

2 HOLLOW SECTIONS

Square Tubes
Rectangular Tubes
Round Pipes (ERW & Galvanized)
Structural Rectangular Hollow
Structural Square Hollow

3 CHANNELS

Japanese Standard Channels
European Standard Channels
Channel with Parallel Flanges
British Parallel Flange Channel

1 BEAMS & SECTIONS



PRODUCT	TYPE	DIMENSIONS	LENGTH
European I Beams	IPE, IPN	80mm - 600mm	6m - 12m
European Wide Flange	HEA, HEB	100mm - 1000mm	6m - 12m
British Universal Beams	UB	127mm - 1016mm	6m - 12m
British Universal Columns	UC	152mm - 356mm	6m - 12m
American Wide Flange	W	4" - 44"	6m - 12m
Japanese Beams	I-Beam, H-Beam	100mm - 600mm	6m - 12m
Light I Beams	IPE - AA	80mm - 220mm	6m - 12m

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR.50 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995

2 HOLLOW SECTIONS



PRODUCT	TYPE	DIMENSIONS	LENGTH
Square Tubes	□	10 x 10 x 0.6 - 200 x 200 x 4	6m - 12m
Rectangular Tubes	□	10 x 25 x 0.6 - 100 x 150 x 4	6m - 12m
Round Pipes (ERW & Galvanized)	○	1/2" x 0.6 - 6" x 5	3m - 6m
Structural Rectangular Hollow	▢	80 x 40 x 5 - 300 x 200 x 12	6m - 12m
Structural Square Hollow	▣	50 x 50 x 5 - 350 x 350 x 12	6m - 12m

According to: ASTM A500 GRA / EN 10219-2 / ASTM A53 - GRA, B

3 CHANNELS



PRODUCT	TYPE	DIMENSIONS	LENGTH
Japanese Standard Channels	U-Channel	20mm - 240mm	6m - 12m
European Standard Channels	UPN	20mm - 400mm	6m - 12m
Channel with Parallel Flanges	UPE	20mm - 400mm	6m - 12m
British Parallel Flange Channel	PFC	100mm - 430mm	6m - 12m

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR.50 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995

4 MILD STEEL ANGLES & BARS



PRODUCT	TYPE	DIMENSIONS	LENGTH
Equal Angles	└	20 x 20 x 2 - 200 x 200 x 20	6m - 12m
Unequal Angles	└	40 x 20 x 4 - 200 x 100 x 15	6m - 12m
Flat Bars	—	12 x 3 - 300 x 50	6m
Square Bars	■	6 x 6 - 100 x 100	6m
T Bars	└	20 x 20 x 3 - 100 x 100 x 11	6m
Round Bars (CF/HR)	●	6mm - 350mm	6m

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 GR.50 / ST 44-2 / ST52-3 / JIS G 3101 SS400 - 1995

Special Steel, Non Ferrous Metals & Polymeric Material

1 ENGINEERING STEEL	2 STAINLESS STEEL	3 TOOL STEEL	4 NON-FERROUS METALS
Carbon Steel	Industrial Stainless Steel (Sheet, Round, Profiles, Pipes)	Cold Work Tool Steel	Aluminum Sheet
Alloy Steel	Heat Resistant (High Temperature)	Hot Work Tool Steel	Aluminum Alloys
Cast Iron	Stainless Steel Profiles	Plastic Mould Tool Steel	Brass
Chrome Hydraulic Shaft	Decorative and Art Service	Powder Metallurgy Tool Steel	Copper Alloyed
Hydraulic Cylinders			Bronze

1 ENGINEERING STEEL

PRODUCT	QUALITY / GRADE	FORM
Carbon Steel	A36/ C45/ST 52 - 3	   
Alloy Steel	4140 & 4340 (Ann + QT)	
Cast Iron	FT 25	
Chrome Hydraulic Shaft	20MV6	 
Hydraulic Cylinder	E335 + SR / ISO H8	

2 STAINLESS STEEL

PRODUCT	QUALITY / GRADE	FINISHES	FORM
Stainless Steel	430/202L/304/316L 304L / Dual Certificate	1/2B/4/BA/8	  
Heat Resistant (High Temp.)	310S	Mill	 
Stainless Steel Profiles	304/304L/316L	Mill	 
Decorative Stainless Steel	304/202L	HL/Mirror	  
	304	Gold Mirror	 
	304/316L/202L	HL/Mirror	
	304	Mill/Mirror	
Art Service Stainless Steel	304	Etching	

3 TOOL STEEL & PLASTIC MOULD

PRODUCT	QUALITY / GRADE	FORM
Cold Work Tool Steel	2080(D3), 2436(D6), 2379(D2), 2767(6F7)	  
Hot Work Tool Steel	2344(H13), L6(2714)	
Plastic Mould Tool Steel	Impax Supreme 2738(P20+Ni), Ramax2 2316, 2312(P20+S),	  
Powder Metallurgy TS (PM)	Vanadis 4, Vanadis 10	

5 THERMO-PLASTIC

Pure Teflon (PTFE)
Polyamide
Polyacetal

6 SPECIAL STEEL PLATES

Marine Steel
Weathering Steel
Wear Resistant Steel (Abrasion)
Armored Steel

7 WELDING CONSUMABLES

Wire Rods
Electrodes
Accessories

RANGE OF CUSTOMER SERVICES

- Automatic Bandsaws with maximum cutting capacity up to 1000mm thickness.
- Fabrication activities including Shearing, Drilling, Notching, Slitting & Bending.
- Automatic Flame machines with maximum cutting capacity up to 100mm thickness.
- Transportation network covered by a fleet of trucks for supplies between Warehouses and Customer sites everyday.
- Products quality and management operation guaranteed by high quality procedures.

4 NON- FERROUS METAL



PRODUCT	QUALITY / GRADE	FORM
Aluminum Alloys	1050, 6082, Alumec-79, 7075	  
Brass	C-2680 (CuZn33)	  
Copper Alloyed	Electrolytic Copper, SF-Cu, CuCr Zr	  
Tiger Bronze	Tin Bronze CuSn12 / LG2 Phosphorous Bronze	 

5 THERMO- PLASTIC



PRODUCT	QUALITY / GRADE	FORM
Pure Teflon	PTFE (Electrical, Chemical, Food Industries)	 
Polyamide (Nylon)	PA6 (Mechanical Parts, High Chock & Wear Resistant)	 
Polyacetal (Ertacetal C) Black + White	POM (Mechanical Parts, High Machining accuracy & dimensional stability)	 

6 SPECIAL STEEL PLATES



PRODUCT	QUALITY / GRADE	FORM
Marine Steel	EH36 Marine Grades,	
Weathering Steel	Corten (A)	
Wear Resistant	HB 400 & 500	
Armored Steel	Armotec 500 / RAMOR 500	

7 WELDING CONSUMABLES



PRODUCT	QUALITY / GRADE	FORM
Wire Rods / Electrodes / Accessories (For all kinds of Steel, SS, Copper, Brass, Aluminum & Cast Iron)		           

Round Solid Sheet or Plate Square or Rectangular Tube Checkered Plate Square Solid Pipe Hollow Bar Hexagonal Elbow Angled Bar Flat Bar U - Channel

Piping Material

1 CARBON STEEL PIPES

Seamless High Temperature
Welded High Temperature
Seamless Low Temperature

2 CARBON STEEL FITTINGS

Forged Fittings - 3000 / 6000
Butt Weld Fittings
Malleable Iron
Butt Weld Fittings
Elbows, Tees, Caps
Plugs, Nipples, Couplings
Unions, Reducers
Weldolet, Socketlet, Thredolet
Swage Nipple

3 CARBON STEEL FLANGES

Weld Neck
Slip On
Threaded
Lap Joint
Blind
Socket Weld

4 GROOVED & ACCESSORIES

Flanges
Unions
Caps
Couplings
Elbows
Tees
Reducers
Joints
Crosses

1 CARBON STEEL PIPES



PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
Carbon Steel - High Temperature		
Seamless: Sch 10, 20, STD 30, 40, 60, XS, 80, 160, XXS	1/2" - 24"	ASTM A53/A106/API 5L GRA/B ASTM A 120
Welded: Sch. 10, 20, STD, 30, 40, XS	1/2" - 24" 24" - 72"	X42, X52, X60, PSL1, PSL 2 ASTM A252 GR2 ASTM A335 P1/P2
Longitude / Spiral		
Carbon Steel - Low Temperature		
Seamless: Sch 20, STD, 40, 80	1/2" - 16"	ASTM A333 GR. 6

2 CARBON STEEL FITTINGS



PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
Carbon Steel - Forged Fittings - 3000 / 6000		
Elbows, Tees, Caps, Plugs, Nipples, Couplings, Unions, Reducers, Weldolet, Socketlet, Thredolet, Swage Nipple	1/8" - 6"	ASTM A105N
Wrought Carbon Steel - Butt Weld Fittings		
Elbows, Tees, Caps, Reducers	1/2" - 60"	ASTM A234 WPB ASTM A420 WPL (LOW TEMP)
Malleable Iron Fittings		
Unions, Caps, Couplings, Elbows, Tees, Reducers Joints, Crosses.	1/4" - 6"	ANSI B2.1, BS21, DIN2999 ASTM A197

3 CARBON STEEL FLANGES



PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
Carbon Steel Flanges		
Weld Neck, Slip On, Threaded, Socket Weld, Lap Joint, Blind	1/2" - 60"	ASTM A105N ASTM A350 LF
Class 150, 300, 600, 900, 1500 RF, Grooved, Tongue, RTJ ALLOY STEEL		ASTM A182 F

4 GROOVED AND ACCESSORIES



PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
Grooved Fittings		
Flanges, Unions, Caps, Couplings, Elbows, Tees, Reducers, Joints, Crosses.	1/2" - 24"	ASTM A536, Grade 65-45-12
Accessories		
Gaskets, Studbolts, Hangers, Insulations		

5 STAINLESS STEEL PIPES	6 STAINLESS STEEL FITTINGS	7 STAINLESS STEEL FLANGES	8 VALVES & ACCESSORIES
Seamless Low Temperature	Forged Fittings - 3000 / 6000	Weld Neck	Cast Iron / Forged Carbon
Welded High Temperature	Forged Fittings - 150	Slip On	Stainless Steel Valves -
Instrument Tubes	Butt Weld Fittings	Threaded	Cast / Forged
	Elbows, Tees, Caps	Lap Joint	
	Plugs, Nipples, Couplings	Blind	
	Unions, Reducers	Socket Weld	
	Weldolet, Sockolet, Thredolet		
	Swage Nipple		

5 AUSTENITIC STAINLESS STEEL PIPES

PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
 Stainless Steel - Low Temperature Seamless: Sch 10, 20, STD 40, 80 Welded: Sch. 10, 20, 40	1/2" - 12"	ASTM A213/A312 TP 304/304L
	1/2" - 24"	TP 316/316L
Stainless Steel - Instrument Tubes Seamless: Sch 20, STD, 40, 80	1/2" - 4"	ASTM A269

6 AUSTENITIC STAINLESS STEEL FITTINGS

PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
 Stainless Steel - Forged Fittings - 3000 / 6000 Elbows, Tees, Caps, Plugs, Nipples, Couplings, Unions, Reducers, Weldolet Thredolet, Swage Nipple	1/8" - 4"	ASTM A182 304/304L - 316/316L
Stainless Steel - Butt Weld Fittings W PB Elbows, Tees, Caps, Reducers	1/8" - 24"	ASTM A403 WVP 304/304L - 316/316L
Stainless Steel - Class 150 Fittings Unions, Caps, Couplings, Elbows, Tees, Reducers, Joints, Crosses.	1/4" - 4"	ASTM A182 304/304L - 316/316L

7 STAINLESS STEEL FLANGES

PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
 Stainless Steel Flanges Weld Neck, Slip On, Threaded, Socket Weld, Lap Joint, Blind Class 150, 300, 600, 900, 1500 RF, Grooved, Tongue, RTJ	1/2" - 24"	ASTM A182 F
		304/304L - 316/316L

8 VALVES

PRODUCT DESC.	SIZE RANGE	STANDARD / GRADE
 Gate, Check, Globe, Ball, Butterfly, Needle, Safety, etc.. Cast Iron	2" - 24"	ASTM A 126 Class B, 125 lb.
Carbon Steel Valves Cast Forged	1/2" - 24" 3/8" - 4"	A216 WCB in Class 150~600 ASTM A105N, A350 LF2, Class 800~1500
Stainless Steel Valves - Cast / Forged Cast Forged	1/2" - 24" 3/8" - 4"	A351-CF3, CF8 304/304L A351-CF3M, CF8M 316/316L A182 304/304L & 316/316L Class 800~1500

Pipes Data Table

ANSI B 36.10

ANSI B 36.19

Outer Diameter (in)	Normal Wall Thickness (in)	Schedule 10	Schedule 20	Schedule 30	Schedule STD	Schedule 40	Schedule 60	Schedule XS	Schedule 80	Schedule 100	Schedule 120	Schedule 140	Schedule 160	Schedule XXS	Schedule 5S	Schedule 10S	Schedule 40S	Schedule 80S		
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm		
8	3/4	137			234	268	224	268	332	330	332	340				165	204	224	302	308
10	36"	171			277	312	277	312	373	362	373	382				198	241	277	373	378
12	42"	213			339	387	339	387	456	444	456	465				231	277	312	420	425
14	34"	267			391	449	391	449	524	512	524	533				264	312	347	465	470
16	34"	267			391	449	391	449	524	512	524	533				264	312	347	465	470
20	1"	334			485	561	485	561	660	648	660	670				326	391	449	583	588
24	1 1/4	422			583	670	583	670	792	780	792	802				391	470	549	713	718
30	1 1/2	483			660	768	660	768	900	888	900	910				449	549	648	833	838
36	1 3/4	549			744	861	744	861	1000	988	1000	1010				500	610	720	923	928
42	2"	603			812	939	812	939	1080	1068	1080	1090				562	682	802	1013	1018
48	2 1/4	671			900	1037	900	1037	1188	1176	1188	1198				625	755	885	1103	1108
54	2 3/4	737			990	1127	990	1127	1288	1276	1288	1298				687	827	967	1183	1188
60	3"	789			1062	1209	1062	1209	1372	1360	1372	1382				739	889	1029	1243	1248
66	3 1/2	855			1140	1297	1140	1297	1460	1448	1460	1470				791	941	1081	1295	1300
72	4"	913			1218	1375	1218	1375	1538	1526	1538	1548				843	993	1133	1347	1352
78	4 1/2	981			1296	1453	1296	1453	1616	1604	1616	1626				895	1045	1185	1399	1404
84	5"	1043			1364	1521	1364	1521	1684	1672	1684	1694				947	1097	1237	1451	1456
90	5 1/2	1105			1432	1589	1432	1589	1752	1740	1752	1762				999	1149	1289	1503	1508
96	6"	1163			1500	1657	1500	1657	1820	1808	1820	1830				1051	1201	1341	1555	1560
102	6 1/2	1221			1568	1725	1568	1725	1892	1880	1892	1902				1103	1253	1393	1607	1612
108	7"	1279			1636	1793	1636	1793	1960	1948	1960	1970				1155	1305	1445	1659	1664
114	7 1/2	1337			1704	1861	1704	1861	2028	2016	2028	2038				1207	1357	1497	1711	1716
120	8"	1395			1772	1929	1772	1929	2100	2088	2100	2110				1259	1409	1549	1763	1768
126	8 1/2	1453			1840	1997	1840	1997	2172	2160	2172	2182				1311	1461	1601	1815	1820
132	9"	1511			1908	2065	1908	2065	2240	2228	2240	2250				1363	1513	1653	1867	1872
138	9 1/2	1569			1976	2133	1976	2133	2308	2296	2308	2318				1415	1565	1705	1919	1924
144	10"	1627			2044	2199	2044	2199	2376	2364	2376	2386				1467	1617	1757	1971	1976
150	10 1/2	1685			2112	2267	2112	2267	2448	2436	2448	2458				1519	1669	1809	2023	2028
156	11"	1743			2180	2335	2180	2335	2516	2504	2516	2526				1571	1721	1861	2075	2080
162	11 1/2	1801			2248	2399	2248	2399	2580	2568	2580	2590				1623	1773	1913	2127	2132
168	12"	1859			2316	2467	2316	2467	2648	2636	2648	2658				1675	1825	1965	2179	2184
174	12 1/2	1917			2384	2525	2384	2525	2708	2696	2708	2718				1727	1877	2017	2231	2236
180	13"	1975			2452	2583	2452	2583	2768	2756	2768	2778				1779	1929	2069	2283	2288
186	13 1/2	2033			2520	2641	2520	2641	2824	2812	2824	2834				1831	1981	2121	2335	2340
192	14"	2091			2588	2701	2588	2701	2884	2872	2884	2894				1883	2033	2173	2387	2392
198	14 1/2	2149			2656	2759	2656	2759	2940	2928	2940	2950				1935	2085	2225	2439	2444
204	15"	2207			2724	2827	2724	2827	3008	2996	3008	3018				1987	2137	2277	2491	2496
210	15 1/2	2265			2792	2895	2792	2895	3076	3064	3076	3086				2039	2189	2329	2543	2548
216	16"	2323			2860	2963	2860	2963	3144	3132	3144	3154				2091	2241	2381	2595	2600
222	16 1/2	2381			2928	3031	2928	3031	3200	3188	3200	3210				2143	2293	2433	2647	2652
228	17"	2439			2996	3099	2996	3099	3276	3264	3276	3286				2195	2345	2485	2699	2704
234	17 1/2	2497			3064	3167	3064	3167	3344	3332	3344	3354				2247	2397	2537	2751	2756
240	18"	2555			3132	3235	3132	3235	3408	3396	3408	3418				2299	2449	2589	2803	2808
246	18 1/2	2613			3200	3303	3200	3303	3476	3464	3476	3486				2351	2501	2641	2855	2860
252	19"	2671			3268	3371	3268	3371	3544	3532	3544	3554				2403	2553	2693	2907	2912
258	19 1/2	2729			3336	3439	3336	3439	3608	3596	3608	3618				2455	2605	2745	2959	2964
264	20"	2787			3404	3507	3404	3507	3676	3664	3676	3686				2507	2657	2797	3013	3018
270	20 1/2	2845			3472	3575	3472	3575	3744	3732	3744	3754				2559	2709	2849	3063	3068
276	21"	2903			3540	3643	3540	3643	3808	3796	3808	3818				2611	2761	2901	3117	3122
282	21 1/2	2961			3608	3711	3608	3711	3876	3864	3876	3886				2663	2813	2953	3169	3174
288	22"	3019			3676	3779	3676	3779	3944	3932	3944	3954				2715	2865	3005	3195	3200
294	22 1/2	3077			3744	3847	3744	3847	4008	3996	4008	4018				2767	2917	3057	3247	3252
300	23"	3135			3812	3915	3812	3915	4076	4064	4076	4086				2819	2969	3109	3299	3304
306	23 1/2	3193			3880	3983	3880	3983	4144	4132	4144	4154				2871	3021	3161	3355	3360
312	24"	3251			3948	4051	3948	4051	4208	4196	4208	4218				2923	3073	3213	3403	3408
318	24 1/2	3309			4016	4119	4016	4119	4276	4264	4276	4286				2975	3125	3265	3457	3462
324	25"	3367			4084	4187	4084	4187	4344	4332	4344	4354				3027	3177	3317	3507	3512
330	25 1/2	3425			4152	4255	4152	4255	4408	4396	4408	4418				3079	3229	3369	3559	3564
336	26"	3483			4220	4323	4220	4323	4476	4464	4476	4486				3131	3281	3421	3607	3612
342	26 1/2	3541			4288	4391	4288	4391	4544	4532	4544	4554				3183	3333	3473	3657	3662
348	27"	3599			4356	4459	4356	4459	4608	4596	4608	4618				3235	3385	3525	3711	3716
354	27 1/2	3657			4424	4527	4424	4527	4676	4664	4676	4686				3287	3437	3577	3761	3766
360	28"	3715			4492	4595	4492	4595	4744	4732	4744	4754				3339	3489	3629	3813	3818
366	28 1/2	3773			4560	4663	4560	4663	4808	4796	4808	4818				3391	3541	3681	3865	3870
372	29"	3831			4628	4731	4628	4731	4876	4864	4876	4886				3443	3593	3733	3917	3922
378	29 1/2	3889			4696	4799	4696	4799	4944	4932	4944	4954				3495	3645	3785	3969	3974
384	30"	3947			4764	4867	4764	4867	5008	4996	5008	5018				3547	3697	3837	4021	4026
390	30 1/2	4005			4832	4935	4832	4935	5076	5064	5076	5086				3599	3749	3889	4065	4070
396	31"	4063			4900	5003	4900	5003	5144	5132	5144	5154				3651	3801	3941	4119	4124
402	31 1/2	4121			4968	5071	4968	5071	5208	5196	5208	5218				3703	3853	3993	4183	4188
408	32"	4179			5036	5139	5036	5139	5276	5264	5276	5286				3755	3905	4045	4229	4234
414	32 1/2	4237			5104	5207	5104	5207	5344	5332	5344	5354								

Steel No.

DIN

Grade

EN

Grade

ASTM

Grade

NFA

Grade

BS

Grade

1.035

1775

S355

EN12262

P235GH

A

42H3

TL97C

30B1812

30

1.005

1775

S355

EN12262

P235GH

B

42H3

TL42C

30B1812

40

1.545

1775

S355

EN12262

18A8

P1

42H3

TL15D3

30B1812

243

1.523

1775

S355

EN12262

18A8

P2

42H3

TL15D215

30B1812

245

1.335

1775

S355

EN12262

130M45

P2

42H3

TL13D404

620

1.320

1775

S355

EN12262

100M40

P22

42H3

TL10D310

622-40

1.688

1775

S355

EN12262

190M45

P5

42H3

TL210D5-5

304

1.732

1775

S355

EN12262

190M45

P5

42H3

TL210D5-5

304

1.732

1775

S355

EN12262

190M45

P9

42H3

TL210D5-5

304

1.422

1775

S355

EN12262

190M45

P1

42H3

TL10D5-5

304

1.413

1775

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.110

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.637

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.401

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.435

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.440

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.445

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.435

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.443

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.441

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.450

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

1.451

1773

S355

EN12262

190M45

P1

42H3

TL210D5-5

304

Attieh Steel Service Centers

Industrial & Commercial Steel

Profile:

ASL operates large scale service centers under its umbrella to compliment its wide operations. With locations in Jeddah, Riyadh, and Dubai, ASL service centers extend its services to regional customers and traders.

Machinery:

With FD.S lines capacity ranging from 0.3 to 12.7 in thickness and up to 2 meters width and 12 meters length.

Services Offered:

Cut to length, Slitting, De-coiling, Re-coiling and Corrugation of coils & sheets according to customer needs and requirements.

Service centers have added a plus to our distinguished services. Our integrated and spread branches all over the Kingdom and the Gulf Region strengthen our position and enable us to serve our customers better and satisfy their requirements in all areas.

Quality Control:

It's our top priority to provide an excellent service with high precision cutting and slitting. With a well trained staff, quality assurance procedures and high tech computer systems, we guarantee the quality of our service to suit your requirements.



SERVICE MATERIAL

Hot rolled steel coils
Cold rolled steel coils
Checkered steel coils
Galvanized steel coils
Electro-Galvanized steel coils
Prepainted steel coils
Aluzinc coils
Aluminum coils
Stainless steel coils

